

## Step 1



- Open the Nexia App on your mobile device.

## Step 2




- Tap on the 'Left Top Menu Button'.

### Step 3



- In the menu tap on 'Connect New Device'.

### Step 4



- Tap on 'Z-Wave Device'.

## Step 5



- Tap on 'Continue'.
- The Nexia Bridge's Z-Wave Light will now blink orange indicating that it is in pairing mode.

## Step 6



- Slide out the battery drawer of the First Alert 2-in-1 Smoke & Carbon Monoxide Alarm.

## Step 7



- Insert the 2 AA batteries into the First Alert 2-in-1 Smoke & Carbon Monoxide Alarm.

## Step 8



- Press and hold the 'Action Button' on the First Alert 2-in-1 Smoke & Carbon Monoxide Alarm, while you close the battery drawer.

## Step 9



- After you have fully closed the battery drawer, you may release the 'Action Button' on the First Alert 2-in-1 Smoke & Carbon Monoxide Alarm.

## Step 10



- The Nexia App will indicate that it has found the First Alert 2-in-1 Smoke & Carbon Monoxide Alarm and that the pairing process has been successful.
- You have hereby successfully paired the First Alert 2-in-1 Smoke & Carbon Monoxide Alarm with the Nexia Bridge.